



杭州祥和电器有限公司  
Hangzhou Xianghe Electric Appliance Co., Ltd

# PRODUCT CATALOGUE

## 产品手册



杭州祥和电器有限公司  
Hangzhou Xianghe Electric Appliance Co., Ltd

地址: 中国浙江省杭州市建德梅城镇城南工业功能区 311604  
Add.: South Industrial Zone, Meicheng Town, Jiande, Hangzhou City, Zhejiang Province, China 311604

邮箱: xh@xianghe-electric.com xianghehz@163.com  
E-mail: xh@xianghe-electric.com xianghehz@163.com

电话: +86(571)64188255 64188355 64188055  
Tel.: +86(571)64188255 64188355 64188055

传真: +86(571)64185885  
Fax.: +86(571)64185885

网址: www.xianghe-electric.com  
URL: www.xianghe-electric.com

# COMPANY INTRODUCE

## 企业介绍

杭州祥和电器有限公司是专业制造排插、延长线、线盘、各国多用转换插座及检修灯。工厂坐落于风景秀丽的梅城古镇，邻近千岛湖，杭新景高速，杭黄高铁横穿而过。

我们致力于为客户打造多样式的新产品，以具有竞争力的价格和优质服务做依托。我们有专业的团队设计开发，配合严谨的生产管理，创造出优质的产品。我们的产品通过 CE、Rohs 等多项专业检测。产品出口亚洲、欧洲、非洲、美洲的大多数国家。通过我们不断的努力，我们相信通过我们坚持不懈的努力，我们会和您一起创新，共赢。

Hangzhou Xianghe Electric Appliance Co., Ltd locates in meicheng town, near qiandao lake. We are a factory, specializes in developing and producing various extension sockets, power strip, extension cord, extension cable reel, work light etc.

We can make oem & odm products for you in competitive prices and give you the best service. We have professional teams to service for you. We have professional production equipment and inspection equipment. Product quality is controlled strictly according to CE,GS, VDE and other approval standards. Through our continuous efforts, we believe that we will innovate and win together with you.

Welcome to join us to make better future.



我们的宗旨

OUR  
MISSION




用心创造，  
用心管理，  
用心服务。

Create by our heart,  
Manage by our heart,  
Serve with our heart.



# Best Selling Products

# Authentication Certificate



IEC Test Report ISO9001

## German / French Product

- 01. Surge Protectors / Extension Sockets
- 02. Power Extension Cords
- 03. Adapters & Plugs
- 04. Extension Cable Reels
- 05. Work lights

## Chilean type Product

- 09. Surge Protectors / Power Strips

## Argentina type Product

- 10. Multiple Sockets / Power Strips

## American type Product

- 06. Surge Protectors / Power Strips
- 07. Power Extension Cords
- 08. Adapters & Plugs

## Device Accessory Product

- 11. Plugs & Computer cable adapter

# DIRECTORY

## 01

German / French  
ProductSurge Protectors /  
Extension Sockets

## MODEL:

**XH-EU05AK**
**5-Sockets German type**  
 Surge Protector with USB Ports

Color: White or Black  
 Input Socket: 1 x 16A CEE 7/7 plug  
 Output Socket: 5 x 16A German type outlets  
 Shell Material: fire-resistant P/P  
 With Children Protection  
 With Lighted ON/OFF Switch  
 With Overload Protection  
 With Surge Protection 90J  
 USB Ports: 5V,2.1A Max.  
 PVC Wire Spec: H05VV-F, 3G1.0mm<sup>2</sup>  
 250V~, 10/16A Max. Power: 3500W




## MODEL:

**XH-EU05BK**
**5-Sockets German type**  
 Surge Protector with USB Ports

Color: White or Black  
 Input Socket: 1 x 16A CEE 7/7 plug  
 Output Socket: 5 x 16A German type outlets  
 Shell Material: fire-resistant P/P  
 With Children Protection  
 With Lighted ON/OFF Switch  
 With Surge Protection 90J  
 USB Ports: 5V,2.1A Max.  
 PVC Wire Spec: H05VV-F, 3G1.0mm<sup>2</sup>  
 250V~, 10/16A Max. Power: 3500W




## MODEL:

**XH-EU05BK+C**
**5-Sockets German type**  
 Surge Protector with USB Ports

Color: White or Black  
 Input Socket: 1 x 16A CEE 7/7 plug  
 Output Socket: 5 x 16A German type outlets  
 Shell Material: fire-resistant P/P  
 With Children Protection  
 With Lighted ON/OFF Switch  
 With Surge Protection 90J  
 USB Ports: 5V,2.1A Max.(1xType A + 1xType C)  
 PVC Wire Spec: H05VV-F, 3G1.0mm<sup>2</sup>  
 250V~, 10/16A Max. Power: 3500W



## MODEL:

**XH-GDU05K**
**5-Sockets German type**  
 Surge Protector with USB Ports

Color: White or Black  
 Input Socket: 1 x 16A CEE 7/7 plug  
 Output Socket: 5 x 16A German type outlets  
 Shell Material: fire-resistant P/P  
 With Children Protection  
 With Lighted ON/OFF Switch  
 With Surge Indicator And Grounding Power Light  
 With Surge Protection 450J  
 USB Ports: 5V,2.1A Max.  
 PVC Wire Spec: H05VV-F, 3G1.5mm<sup>2</sup>  
 250V~, 16A Max. Power: 3500W



MODEL:

## XH-EUA03~10K



3~10 Ways German type  
Extension Sockets with USB Ports

Color: White or Black  
 Input Socket: 1 x 16A CEE 7/7 plug  
 Output Socket: 3~10 x 16A German type outlets  
 Shell Material: PVC & fire resistant P/P  
 With Children Protection  
 With Lighted ON/OFF Switch  
 USB Ports: 5V,2.1A Max.  
 PVC Wire Spec: H05VV-F, 3G1.5mm<sup>2</sup>  
 250V~, 16A Max. Power: 3500W



MODEL:

## XH-EU05K



5-Sockets German type  
Surge Protector with USB Ports

Color: White or Black  
 Input Socket: 1 x 16A CEE 7/7 plug  
 Output Socket: 5 x 10A German type outlets  
 Shell Material: P/P  
 With Lighted RESET/OFF Switch  
 With Surge Protection 90J  
 USB Ports: 5V,2.1A Max.  
 PVC Wire Spec: H05VV-F, 3G0.75mm<sup>2</sup>  
 250V~, 10A Max. Power: 2500W



MODEL:

## XH-EB03~06K

3~10 Ways German type  
Extension Sockets with Switch

Color: White or Black  
 Input Socket: 1 x 16A CEE 7/7 plug  
 Output Socket: 3~6 x 16A German type outlets  
 Shell Material: fire resistant P/P  
 With Children Protection  
 With Lighted ON/OFF Switch  
 PVC Wire Spec: H05VV-F, 3G1.0mm<sup>2</sup> or 3G1.5mm<sup>2</sup>  
 250V~, 16A Max. Power: 3680W



MODEL:

## XH-ER06K


6-Ways German type  
Extension Sockets with Switch

Color: White or Black  
 Input Socket: 1 x 16A CEE 7/7 plug  
 Output Socket: 6 x 16A German type outlets  
 Shell Material: fire resistant P/P  
 With Children Protection  
 With Lighted ON/OFF Switch  
 With Overload Protection 10A or 16A  
 PVC Wire Spec: H05VV-F, 3G0.75mm<sup>2</sup> or 3G1.0mm<sup>2</sup>  
 250V~, 10A/16A Max. Power: 2500W or 3500W



MODEL:

## XH-EU06K



6-Sockets German type  
Surge Protector with USB Ports

Color: White or Black  
 Input Socket: 1 x 16A CEE 7/7 plug  
 Output Socket: 6 x 10A German type outlets  
 Shell Material: P/P  
 With Lighted RESET/OFF Switch  
 With Surge Protection 90J  
 USB Ports: 5V,2.1A Max.  
 PVC Wire Spec: H05VV-F, 3G0.75mm<sup>2</sup>  
 250V~, 10A Max. Power: 2500W



MODEL:

## XH-EB03~06

3~6 Ways German type  
Extension Sockets

Color: White or Black  
 Input Socket: 1 x 16A CEE 7/7 plug  
 Output Socket: 3~6 x 16A German type outlets  
 Shell Material: fire resistant P/P  
 With Children Protection  
 PVC Wire Spec: H05VV-F, 3G1.0mm<sup>2</sup> or 3G1.5mm<sup>2</sup>  
 250V~, 16A Max. Power: 3680W



MODEL:

## XH-EH04/06K

4/6 Ways German type  
Surge Protector

Color: White / Black / Rose  
 Input Socket: 1 x 16A CEE 7/7 plug  
 Output Socket: 4 / 6 x 16A German type outlets  
 Shell Material: fire resistant ABS / PC  
 With Children Protection  
 With Lighted Button Switch  
 With Surge Protection 150J  
 PVC Wire Spec: H05VV-F, 3G1.0mm<sup>2</sup> or 3G1.5mm<sup>2</sup>  
 250V~, 16A Max. Power: 3680W



MODEL:

## XH-ED05K

5-Sockets German type  
Surge Protector

Color: White or Black  
 Input Socket: 1 x 10A CEE 7/7 plug  
 Output Socket: 5 x 10A German type outlets  
 Shell Material: P/P  
 With Lighted RESET/OFF Switch  
 With Surge Protection 90J  
 PVC Wire Spec: H05VV-F, 3G0.75mm<sup>2</sup>  
 250V~, 10A Max. Power: 2500W



MODEL:

## XH-ED06K

6-Sockets German type  
Surge Protector

Color: White or Black  
Input Socket: 1 x 10A CEE 7/7 plug  
Output Socket: 5 x 10A German type outlets  
Shell Material: P/P  
With Lighted RESET/OFF Switch  
With Surge Protection 90J  
PVC Wire Spec: H05VV-F, 3G0.75mm<sup>2</sup>  
250V~, 10A Max. Power: 2500W



MODEL:

## XH-EBD06K

6-Sockets German type  
Surge Protector

Color: White or Black  
Input Socket: 1 x 10A/16A CEE 7/7 plug  
Output Socket: 6 x 16A German type outlets  
Shell Material: fire resistant P/P  
With Children Protection  
With Lighted 10A (16A) RESET/OFF Switch  
With Surge Protection 90J  
PVC Wire Spec: H05VV-F, 3G1.0mm<sup>2</sup> / 3G1.5mm<sup>2</sup>  
250V~, 10A/16A Max. Power: 2500W/3500W



MODEL:

## XH-E03~06K

3~6 Ways German type  
Extension Sockets with Switch

Color: White or Black  
Input Socket: 1 x 10A CEE 7/7 plug  
Output Socket: 3~6 x 10A German type outlets  
Shell Material: fire resistant P/P  
With Lighted RESET/OFF Switch  
PVC Wire Spec: H05VV-F, 3G0.75mm<sup>2</sup>  
250V~, 10A Max. Power: 2500W



MODEL:

## XH-UG03~06

3~6 Ways German type  
Extension Sockets

Color: White  
Input Socket: 1 x 16A CEE 7/7 plug  
Output Socket: 3~6 x 16A German type outlets  
Shell Material: ABS & fire resistant P/P  
PVC Wire Spec: H05VV-F, 3G0.75mm<sup>2</sup>, 1.0mm<sup>2</sup> or 1.5mm<sup>2</sup>  
250V~, 10A/16A Max. Power: 2500~3500W



MODEL:

## XH-ES03~05K

3~5 Ways German type  
Extension Sockets with Switch

Color: White or Black  
Input Socket: 1 x 10A CEE 7/7 plug  
Output Socket: 3~5 x 10A German type outlets  
Shell Material: fire resistant P/P  
With Lighted RESET/OFF Switch  
PVC Wire Spec: H05VV-F, 3G0.75mm<sup>2</sup>  
250V~, 10A Max. Power: 2500W



MODEL:

## XH-E03~06

3~6 Ways German type  
Extension Sockets

Color: White or Black  
Input Socket: 1 x 10A CEE 7/7 plug  
Output Socket: 3~6 x 10A German type outlets  
Shell Material: fire resistant P/P  
With Lighted ON/OFF Switch  
PVC Wire Spec: H05VV-F, 3G1.0mm<sup>2</sup>  
250V~, 10A Max. Power: 2500W




MODEL:

## XH-UG03~06K

3~6 Ways German type  
Extension Sockets with Switch

Color: White  
Input Socket: 1 x 16A CEE 7/7 plug  
Output Socket: 3~6 x 16A German type outlets  
Shell Material: ABS & fire resistant P/P  
With Lighted RESET/OFF Switch  
PVC Wire Spec: H05VV-F, 3G0.75mm<sup>2</sup>, 1.0mm<sup>2</sup> or 1.5mm<sup>2</sup>  
250V~, 10A/16A Max. Power: 2500~3500W



MODEL:

## XH-U02~06

2~6 Ways German type  
Extension Sockets without Grounding

Color: White  
Input Socket: 1 x 10A 2-pin EU plug  
Output Socket: 2~6 x 10A German type outlets without grounding  
Shell Material: ABS & fire resistant P/P  
PVC Wire Spec: H05VV-F, 3G0.75mm<sup>2</sup>, 1.0mm<sup>2</sup>  
250V~, 6A/10A Max. Power: 1500~2500W



MODEL:

## XH-FB03~06

3~6 Ways French type  
Extension Sockets

Color: White or Black  
 Input Socket: 1 x 16A CEE 7/7 plug  
 Output Socket: 3~6 x 16A French type outlets  
 Shell Material: fire-resistant P/P  
 With Children Protection  
 PVC Wire Spec: H05VV-F, 3G1.0mm<sup>2</sup>, 1.5mm<sup>2</sup>  
 250V~, 16A Max. Power: 3680W



MODEL:

## XH-FB03~06K

3~6 Ways French type  
Extension Sockets with Switch

Color: White or Black  
 Input Socket: 1 x 16A CEE 7/7 plug  
 Output Socket: 3~6 x 16A French type outlets  
 Shell Material: fire-resistant P/P  
 With Children Protection  
 With Lighted ON/OFF Switch  
 PVC Wire Spec: H05VV-F, 3G1.0mm<sup>2</sup>, 1.5mm<sup>2</sup>  
 250V~, 16A Max. Power: 3680W



MODEL:

## XH-FD05K / XH-FBU05K

5-Sockets French type  
Surge Protector / Without USB Ports

Color: White or Black  
 Input Socket: 1 x CEE 7/7 plug  
 Output Socket: 5 x French type outlets  
 Shell Material: fire-resistant P/P  
 With Children Protection  
 With Lighted 10A RESET/OFF Switch  
 With Surge Protection 90J  
 USB: 5V, 2.1A Max.  
 PVC Wire Spec: H05VV-F, 3G0.75mm<sup>2</sup>, 1.0mm<sup>2</sup>  
 250V~, 10A Max. Power: 2500W



MODEL:

## XH-FH04/06A/06/08A/08K

4 / 6 / 8 Ways French type  
Surge Protector

Color: White or Black  
 Input Socket: 1 x CEE 7/7 plug  
 Output Socket: 4 / 6 / 8 x French type outlets  
 Shell Material: fire-resistant ABS / PC  
 With Children Protection  
 With Lighted Button Switch  
 With Surge Protection 150J  
 PVC Wire Spec: H05VV-F, 3G1.0mm<sup>2</sup>, 1.5mm<sup>2</sup>  
 250V~, 16A Max. Power: 3680W



# 02

## German / French Product

# Power Extension Cords



MODEL:

# XH-EX01 / XH-EX10

German type

Power Extension Cord

Color: White / Black / Orange  
Input Socket: 1 x 10A (16A) CEE 7/7 plug  
Output Socket: 1 x 10A (16A) German type outlet  
Shell Material: fire-resistant ABS & PVC  
With Children Protection  
PVC Wire Spec: H05VV-F 3G1.0mm<sup>2</sup> / 3G1.5mm<sup>2</sup>  
250V~, 10/16A Max. Power: 2500W/3500W



MODEL:

# XH-EX02 / XH-EX03

German type

Power Extension Cord without Grounding

Color: White / Black / Orange  
Input Socket: 1 x 10A 2-pin EU plug  
Output Socket: 1 x 10A German type outlet without grounding  
Shell Material: fire resistant ABS & PVC  
With Children Protection  
PVC Wire Spec: H05VV-F 2G1.0mm<sup>2</sup> / 2G1.5mm<sup>2</sup>  
250V~, 10A Max. Power: 2500W



MODEL:

# XH-EX05 / XH-EX06

French type

Power Extension Cord

Color: White / Black / Orange  
Input Socket: 1 x 16A CEE 7/7 plug  
Output Socket: 1 x 16A French type outlet  
Shell Material: fire resistant ABS & PVC  
With Children Protection  
PVC Wire Spec: H05VV-F 3G1.0mm<sup>2</sup> / 3G1.5mm<sup>2</sup>  
250V~, 10/16A Max. Power: 2500W/3500W



# 03

## German / French Product

## Adapters & Plugs

MODEL:

# XH-A1005

---

German type  
Adapter Socket

Color: White

Input Socket: 1 x 16A CEE 7/7 plug

Output Socket: 1 x 16A German type outlet

Shell Material: fire-resistant PP

With Children Protection

With Lighted ON/OFF Switch

250V~, 16A Max. Power: 3680W



# 04

German / French  
Product

Extension  
Cable Reels

**MODEL:**

**XH-FCR05B**  
**XH-ECR05B**  
**XH-HCR05B**

**French / German****Extension Cable Reels (Max. 5Mtrs)**

**Color:** Multi-color options

**Input Socket:** 1 x 16A CEE 7/7 plug

**Output Socket:** 4 x 16A French / German type outlets

**Shell Material:** PP & fire resistant P/P

**With Children Protection**

**With Thermal Protector**

**PVC Wire Spec:** H05VV-F, 3G1.0mm<sup>2</sup>, 1.5mm<sup>2</sup>

250V~, 10A/16A Max. Power: 2500~3680W

**MODEL:**

**XH-FCR05D**  
**XH-ECR05D**  
**XH-HCR05D**

**French / German****Extension Cable Reels (Max. 8Mtrs)**

**Color:** Multi-color options

**Input Socket:** 1 x 16A CEE 7/7 plug

**Output Socket:** 4 x 16A French / German type outlets

**Shell Material:** PP & fire resistant P/P

**With Children Protection**

**With Thermal Protector**

**PVC Wire Spec:** H05VV-F, 3G1.0mm<sup>2</sup>, 1.5mm<sup>2</sup>

250V~, 10A/16A Max. Power: 2500~3680W

**MODEL:**

**XH-ECR20PP/40PP**  
**XH-FCR20PP/40PP**

**French / German****IP44 Extension Cable Reels (Max. 20/40Mtrs)**

**Color:** Black & Yellow

**Input Socket:** 1 x 16A CEE 7/7 plug

**Output Socket:** 4 x 16A French / German type outlets IP44


**Shell Material:** PP & fire resistant P/P

**With Children Protection**

**With Thermal Protector**

**PVC Wire Spec:** H05VV-F, 3G1.5mm<sup>2</sup>

250V~, 16A Max. Power: 3680W



MODEL:

**XH-ER25/50AP**  
**XH-FR25/50AP**  
**XH-HR25/50AP**

**French / German**

Extension Cable Reels (Max. 30/50 Mtrs)

Color: Black & Yellow

Input Socket: 1 x 16A CEE 7/7 plug

Output Socket: 4 x 16A French / German type outlets

Shell Material: PP & fire resistant P/P

With Children Protection

With Thermal Protector

PVC Wire Spec: H05VV-F, 3G1.0mm<sup>2</sup>, 1.5mm<sup>2</sup>

250V~, 10A/16A Max. Power: 2500~3680W



MODEL:

**XH-ECR25/50P/25PP/50PP**  
**XH-FCR25/50P/25PP/50PP**  
**XH-HCR25/50P/25PP/50PP**

**French / German**

Extension Cable Reels (Max. 30/50Mtrs)

Color: Black & Yellow

Input Socket: 1 x 16A CEE 7/7 plug

Output Socket: 4 x 16A French / German type outlets

Shell Material: PP & fire resistant P/P

With Children Protection

With Thermal Protector

PVC Wire Spec: H05VV-F, 3G1.0mm<sup>2</sup>, 1.5mm<sup>2</sup>

250V~, 10A/16A Max. Power: 2500~3680W



05

German / French  
Product

Work  
Lights

**MODEL:**

# XH-9101

220-240v Portable Work Light Lamp With Hook  
Metal Lampshade With Isolation Ribs  
With 360° Rotatable Hook

Color: Orange

Input Socket: 1 x 10A Euro plug

Output Socket: E27 ceramic socket

Shell Material: fire-resistant P/P

With Plastic Handle

With Lighted ON/OFF Switch

PVC Wire Spec: H05VV-F, 3G0.75mm<sup>2</sup>

220V~240V Max. Power: 100W




# 06

American type  
Product

Surge Protectors/  
Power Strips

MODEL:

## XH-1104A



4-Outlets US type  
Power Strip with USB Ports

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 4 x US type outlets  
Shell Material: ABS  
With Lighted ON/OFF (RESET/OFF) Switch  
USB: 5V, 1.2A Max.  
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
125V~, 15A Max. Power: 1875W



MODEL:

## XH-1104C



4-Outlets US type  
Power Strip with USB Ports

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 4 x US type outlets  
Shell Material: ABS  
With Lighted ON/OFF (RESET/OFF) Switch  
USB: 5V, 1.2A Max.  
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
125V~, 15A Max. Power: 1875W



MODEL:

## XH-1106B



6-Outlets US type  
Surge Protector with USB Ports

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 6 x US type outlets  
Shell Material: ABS  
With Lighted ON/OFF (RESET/OFF) Switch  
With Surge Indicator And Grounding Power Light  
USB: 5V, 2.4A Max.  
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
125V~, 15A Max. Power: 1875W



MODEL:

## XH-1106C




6-Outlets US type  
Power Strip with USB Ports

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 6 x US type outlets  
Shell Material: ABS  
With Lighted ON/OFF (RESET/OFF) Switch  
USB: 5V, 1.2A Max. / 5V, 2.4A Max.  
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
125V~, 15A Max. Power: 1875W



MODEL:

## XH-1104CS




4-Outlets US type  
Surge Protector with USB Ports

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 4 x US type outlets  
Shell Material: ABS  
With Lighted ON/OFF (RESET/OFF) Switch  
With Surge Protection 150J  
USB: 5V, 1.2A Max.  
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
125V~, 15A Max. Power: 1875W



MODEL:

## XH-1106A




6-Outlets US type  
Power Strip with 3 USB Ports

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 6 x US type outlets  
Shell Material: ABS  
With Lighted ON/OFF (RESET/OFF) Switch  
USB: 5V, 1.2A Max. ( 2 x Type A + 1 x Type C )  
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
125V~, 15A Max. Power: 1875W



MODEL:

## XH-1106D




6-Outlets US type  
Power Strip with USB Ports

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 6 x US type outlets  
Shell Material: ABS  
With Lighted ON/OFF (RESET/OFF) Switch  
USB: 5V, 1.2A Max.  
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
125V~, 15A Max. Power: 1875W




MODEL:

## XH-1106E



6-Outlets US type  
Power Strip with USB Ports

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 6 x US type outlets  
Shell Material: ABS  
With Lighted ON/OFF (RESET/OFF) Switch  
USB: 5V, 1.2A Max.  
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
125V~, 15A Max. Power: 1875W



MODEL:

## XH-1303A

3-Outlets US type  
Power Strip

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 3 x US type outlets  
Shell Material: ABS  
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
125V~, 15A Max. Power: 1875W



MODEL:

## XH-1304A

4-Outlets US type  
Power Strip

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 4 x US type outlets  
Shell Material: ABS  
With Lighted ON/OFF (RESET/OFF) Switch  
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
125V~, 15A Max. Power: 1875W



MODEL:

## XH-1305E

5-Outlets US type  
Power Strip

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 5 x US type outlets (1 outlet with large space)  
Shell Material: ABS  
With Lighted ON/OFF (RESET/OFF) Switch  
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
125V~, 15A Max. Power: 1875W



MODEL:

## XH-1306A

6-Outlets US type  
Power Strip

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 6 x US type outlets  
Shell Material: ABS  
With Lighted ON/OFF (RESET/OFF) Switch  
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
125V~, 15A Max. Power: 1875W



MODEL:

## XH-1304B

4-Outlets US type  
Power Strip

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 4 x US type outlets  
Shell Material: ABS  
With Lighted ON/OFF (RESET/OFF) Switch  
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
125V~, 15A Max. Power: 1875W



MODEL:

## XH-1304C

4-Outlets US type  
Power Strip

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 4 x US type horizontal outlets  
Shell Material: ABS  
With Lighted ON/OFF (RESET/OFF) Switch  
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
125V~, 15A Max. Power: 1875W



MODEL:

## XH-1306T

6-Outlets US type  
Transparent Power Strip

Color: Multi-color Options  
Input Socket: 1 x US plug  
Output Socket: 6 x US type outlets  
Shell Material: transparent ABS  
With Lighted ON/OFF (RESET/OFF) Switch  
USB: 5V, 1.2A Max.  
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
125V~, 15A Max. Power: 1875W



MODEL:

## XH-1306B

6-Outlets US type  
Small Power Strip

Color: Multi-color Options  
Input Socket: 1 x US plug  
Output Socket: 6 x US type outlets  
Shell Material: ABS  
With Lighted ON/OFF (RESET/OFF) Switch  
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
125V~, 15A Max. Power: 1875W



MODEL:

## XH-1306E

4-Outlets US type  
Power Strip

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 6 x US type outlets  
Shell Material: ABS  
With Lighted ON/OFF (RESET/OFF) Switch  
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
125V~, 15A Max. Power: 1875W



MODEL:

## XH-1306ES

6-Outlets US type  
Surge Protector

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 6 x US type outlets  
Shell Material: ABS  
With Lighted ON/OFF (RESET/OFF) Switch  
With Surge Protection 150J  
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
125V~, 15A Max. Power: 1875W



MODEL:

## XH-1316D

6-Outlets US type  
Power Strip

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 6 x US type outlets  
Shell Material: ABS  
With Lighted ON/OFF (RESET/OFF) Switch  
USB: 5V, 1.2A Max.  
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
125V~, 15A Max. Power: 1875W



MODEL:

## XH-1326A

6-Outlets US type  
Horizontal Power Strip

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 6 x US type outlets  
Shell Material: ABS  
With Lighted ON/OFF (RESET/OFF) Switch  
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
125V~, 15A Max. Power: 1875W



MODEL:

## XH-1316A

6-Outlets US type  
Power Strip

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 6 x US type outlets  
Shell Material: ABS  
With Lighted ON/OFF (RESET/OFF) Switch  
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
125V~, 15A Max. Power: 1875W



MODEL:

## XH-1316B

6-Outlets US type  
Power Strip

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 6 x US type outlets  
Shell Material: ABS  
With Lighted ON/OFF (RESET/OFF) Switch  
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
125V~, 15A Max. Power: 1875W



MODEL:

## XH-1307A

6+1 Outlets US type  
Power Strip

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 7 x US type outlets (1 outlet with large space)  
Shell Material: ABS  
With Lighted ON/OFF (RESET/OFF) Switch  
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
125V~, 15A Max. Power: 1875W



MODEL:

## XH-1308

4+2 Outlets US type  
Power Strip

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 6 x US type outlets (2 outlets with large space)  
Shell Material: ABS  
With Lighted ON/OFF (RESET/OFF) Switch  
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
125V~, 15A Max. Power: 1875W





MODEL:

## XH-1308B

8-Outlets US type  
Horizontal Power Strip

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 8 x US type outlets  
Shell Material: ABS  
With Lighted ON/OFF (RESET/OFF) Switch  
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
125V~, 15A Max. Power: 1875W



MODEL:

## XH-1308C

8-Outlets US type  
Surge Protector

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 8 x US type outlets  
Shell Material: ABS  
With Lighted ON/OFF (RESET/OFF) Switch  
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
125V~, 15A Max. Power: 1875W



MODEL:

## XH-1506A

6-Outlets Universal type  
Power Strip

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 6 x Universal type outlets  
(Suitable for US plug and 2-pin EU plug)  
Shell Material: ABS  
With Lighted ON/OFF (RESET/OFF) Switch  
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
125V~, 15A Max. Power: 1875W



MODEL:

## XH-1506B

6-Outlets Universal type  
Horizontal Power Strip

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 6 x Universal type outlets  
(Suitable for US plug and 2-pin EU plug)  
Shell Material: ABS  
With Lighted ON/OFF (RESET/OFF) Switch  
PVC Wire Spec: SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
125V~, 15A Max. Power: 1875W



# 07


American type  
Product

# Power Extension Cords

**MODEL:**  
**XH-EX11A**

**US type**  
**Indoor Power Extension Cord**

Color: White  
**Input Socket:** 1 x 2-pin US plug  
**Output Socket:** 3 x US type outlets  
 Shell Material: PVC  
 With Cover Plate  
**PVC Wire Spec:** SPT18AWG 2C/SPT16AWG 2C/SPT14AWG 2C  
 125V~, 15A Max. Power: 1875W



**MODEL:**  
**XH-EX11E**

**US type**  
**Indoor Power Extension Cord**

Color: White  
**Input Socket:** 1 x 2-pin US plug  
**Output Socket:** 3 x US type outlets  
 Shell Material: PVC  
 With Cover Plate  
**PVC Wire Spec:** SPT18AWG 2C/SPT16AWG 2C/SPT14AWG 2C  
 125V~, 15A Max. Power: 1875W



**MODEL:**  
**XH-EX31**

**US type**  
**Outdoor Power Extension Cord**

Color: Orange  
**Input Socket:** 1 x 3-pin US plug  
**Output Socket:** 3 x US type outlets  
 Shell Material: ABS  
**PVC Wire Spec:** SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
 125V~, 15A Max. Power: 1875W



**MODEL:**  
**XH-EX31A**

**US Universal type**  
**Outdoor Power Extension Cord**

Color: Orange  
**Input Socket:** 1 x 3-pin US plug (2-pin EU plug)  
**Output Socket:** 3 x US universal type outlets  
 Shell Material: ABS  
**PVC Wire Spec:** SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
 125V~, 15A Max. Power: 1875W



**MODEL:**  
**XH-EX21**

**US type**  
**Power Extension Cord**

Color: Orange  
**Input Socket:** 1 x 2-pin US plug  
**Output Socket:** 3 x US type outlets  
 Shell Material: PVC  
**PVC Wire Spec:** SJT18AWG 2C/SJT16AWG 2C/SJT14AWG 2C  
 125V~, 15A Max. Power: 1875W



**MODEL:**  
**XH-EX22**

**US type**  
**Outdoor Power Extension Cord**

Color: Orange  
**Input Socket:** 1 x 3-pin US plug  
**Output Socket:** 1 x US type outlets  
 Shell Material: PVC  
 With Black Insulation Protection  
**PVC Wire Spec:** SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
 125V~, 15A Max. Power: 1875W



**MODEL:**  
**XH-EX32**

**US type**  
**Outdoor Power Extension Cord**

Color: Orange  
**Input Socket:** 1 x 3-pin US plug  
**Output Socket:** 3 x US type outlets  
 Shell Material: ABS  
 With Safety Shutters  
**PVC Wire Spec:** SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
 125V~, 15A Max. Power: 1875W



**MODEL:**  
**XH-EX33**

**US type**  
**Outdoor Power Extension Cord**

Color: Grey  
**Input Socket:** 1 x 3-pin US plug  
**Output Socket:** 3 x US type outlets  
 Shell Material: PVC  
 With Black Insulation Protection  
**PVC Wire Spec:** SJT18AWG 3C/SJT16AWG 3C/SJT14AWG 3C  
 125V~, 15A Max. Power: 1875W



MODEL:

# XH-EX126

**US type**  
Outdoor Power Extension Cord

Color: Orange  
Input Socket: 1 x 3-pin US plug  
Output Socket: E26 lamp holder  
Shell Material: PVC & Metal  
PVC Wire Spec: SPT 18AWG 2C / SPT 16AWG 2C  
250V~, 16A Max. Power: 3680W



MODEL:

# XH-EX22A

**US type**  
Outdoor lock type Power Extension Cord

Color: Orange  
Input Socket: 1 x 3-pin US plug  
Output Socket: 1 x US lock type outlets  
Shell Material: PVC  
PVC Wire Spec: SJT 16AWG 3C / SJT 14AWG 3C  
125V~, 15A Max. Power: 1875W



# 08

American type  
Product

Adapters  
& Plugs

MODEL:

## XH-D1001

US type Adapter

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 6 x US type outlets  
Shell Material: ABS  
125V~, 15A Max. Power: 1875W



MODEL:

## XH-D1002

US type Adapter

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 6 x US type outlets  
Shell Material: ABS  
125V~, 15A Max. Power: 1875W



MODEL:

## XH-D1003

US type Adapter

Color: Grey  
Input Socket: 1 x US plug  
Output Socket: 3 x US type outlets  
Shell Material: ABS  
125V~, 15A Max. Power: 1875W



MODEL:

## XH-D1004

US type Adapter

Color: Grey  
Input Socket: 1 x 2-pin US plug  
Output Socket: 3 x 2-pin US type outlets  
Shell Material: ABS  
125V~, 15A Max. Power: 1875W



# 09

## Chilean type Product

# Surge Protectors/ Power Strips

MODEL:

## XH-CLDU04K



### 4-Outlets Chilean type Surge Protector with USB Ports

Color: White or Black  
 Input Socket: 1 x 10A Italian plug  
 Output Socket: 6 x 10A Italian type outlets  
 Shell Material: fire resistant P/P  
 With Children Protection  
 With Lighted RESET/OFF Switch  
 With Surge Indicator And Grounding Power Light  
 USB: 5V, 2.4A Max.  
 PVC Wire Spec: H05VV-F, 3G0.75mm<sup>2</sup> or 3G1.0mm<sup>2</sup>  
 250V~, 10A Max. Power: 2500W



MODEL:

## XH-CLD05AK

### 5-Outlets Chilean type Surge Protector

Color: White or Black  
 Input Socket: 1 x 10A Italian plug  
 Output Socket: 5 x 10A Italian type outlets  
 (1 outlet with large space)  
 Shell Material: fire resistant P/P  
 With Children Protection  
 With Lighted RESET/OFF Switch  
 With Surge Indicator And Grounding Power Light  
 PVC Wire Spec: H05VV-F, 3G0.75mm<sup>2</sup> or 3G1.0mm<sup>2</sup>  
 250V~, 10A Max. Power: 2500W



MODEL:

## XH-CL07K

### 7-Outlets Chilean type Power Strip

Color: White or Black  
 Input Socket: 1 x 10A Italian plug  
 Output Socket: 7 x 10A Italian type outlets  
 Shell Material: fire resistant P/P  
 With Children Protection  
 With Lighted RESET/OFF Switch  
 PVC Wire Spec: H05VV-F, 3G0.75mm<sup>2</sup> or 3G1.0mm<sup>2</sup>  
 250V~, 10A Max. Power: 2500W



MODEL:

## XH-CL06K


### 6-Outlets Chilean type Power Strip

Color: White or Black  
 Input Socket: 1 x 10A Italian plug  
 Output Socket: 6 x 10A Italian type outlets  
 (1 outlet with large space)  
 Shell Material: fire resistant ABS  
 With Children Protection  
 With Lighted RESET/OFF Switch  
 PVC Wire Spec: H05VV-F, 3G0.75mm<sup>2</sup> or 3G1.0mm<sup>2</sup>  
 250V~, 10A Max. Power: 2500W



MODEL:

## XH-CLU05K



### 5-Outlets Chilean type Power Strip with USB Ports

Color: White or Black  
 Input Socket: 1 x 10A Italian plug  
 Output Socket: 6 x 10A Italian type outlets  
 Shell Material: fire resistant P/P  
 With Children Protection  
 With Lighted RESET/OFF Switch  
 USB: 5V, 2.4A Max.  
 PVC Wire Spec: H05VV-F, 3G0.75mm<sup>2</sup> or 3G1.0mm<sup>2</sup>  
 250V~, 10A Max. Power: 2500W



MODEL:

## XH-CL06AK

### 6-Outlets Chilean type Power Strip

Color: White or Black  
 Input Socket: 1 x 10A Italian plug  
 Output Socket: 6 x 10A Italian type outlets  
 (1 outlet with large space)  
 Shell Material: fire resistant P/P  
 With Children Protection  
 With Lighted RESET/OFF Switch  
 PVC Wire Spec: H05VV-F, 3G0.75mm<sup>2</sup> or 3G1.0mm<sup>2</sup>  
 250V~, 10A Max. Power: 2500W



# 10

## Argentina type Product

## Multiple Sockets/ Power Strips

MODEL:

### XH-AR05P

5-Outlets Argentina type  
Multiple Socket with USB Ports

Color: White or Black  
Input Socket: 1 x 10A Argentina plug  
Output Socket: 5 x 10A Argentina type outlets  
Shell Material: fire resistant P/P  
With Overload Protection  
PVC Wire Spec: H05VV-F, 3G0.75mm<sup>2</sup>  
250V~, 10A Max. Power: 2500W



MODEL:

### XH-ARU05K



5-Outlets Argentina type  
Multiple Socket with USB Ports

Color: White or Black  
Input Socket: 1 x 10A Argentina plug  
Output Socket: 5 x 10A Argentina type outlets  
Shell Material: fire resistant P/P  
With Lighted RESET/OFF Switch  
USB: 5V, 2.4A Max.  
PVC Wire Spec: H05VV-F, 3G0.75mm<sup>2</sup>  
250V~, 10A Max. Power: 2500W




MODEL:

### XH-AR08K

8-Outlets Argentina type  
Multiple Socket

Color: White or Black  
Input Socket: 1 x 10A Argentina plug  
Output Socket: 8 x 10A Argentina type outlets  
Shell Material: fire resistant P/P  
With Lighted RESET/OFF Switch  
PVC Wire Spec: H05VV-F, 3G0.75mm<sup>2</sup>  
250V~, 10A Max. Power: 2500W



MODEL:

### XH-ARU08K



8-Outlets Argentina type  
Multiple Socket with USB Ports

Color: White or Black  
Input Socket: 1 x 10A Argentina plug  
Output Socket: 8 x 10A Argentina type outlets  
Shell Material: fire resistant P/P  
With Lighted RESET/OFF Switch  
USB: 5V, 2.4A Max.  
PVC Wire Spec: H05VV-F, 3G0.75mm<sup>2</sup>  
250V~, 10A Max. Power: 2500W



# 11

## Device Accessory Product

# Plugs & Computer cable adapter

